


SPIKES & SUBMERSIBLES



WALL MOUNT



STEP LIGHTS






DECK MOUNT FIXTURES




SLIM & SURFACE MOUNT RANGE




RGBW COLOUR CHANGE




POLE MOUNT & BOLLARDS




ARCHITECTURAL RANGE



IN-GROUND FIXTURES



CEILING MOUNT



HIGH POWER



ULTRA RANGE



COLOUR TEMPERATURE



Hunza® luminaires equipped with RGBW technology offer superior color control compared to regular LED chips. With four separate channels for red, green, blue, and white, you can adjust the color output by modifying the intensity, hue, and white balance.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of DMX or DALI drivers.

Depending on the configuration, there is potential for pre-set sequences that have been defined before installation. There is also additionally on-site control, allowing for the use of